



Circular sorting solutions for today and tomorrow


Product & Application Catalog



Waste market	16
AUTOSORT™	18
AUTOSORT™ CYBOT	20
AUTOSORT™ SPEEDAIR	22
AUTOSORT™ BLACK	24
AUTOSORT™ FINES	26
AUTOSORT™ <i>RDF</i>	28
Upgrading plastics with the	
most advanced flake sorters	30
AUTOSORT™ <i>FLAKE</i>	32
INNOSORT™ <i>FLAKE</i>	34
From waste wood to resource	36

Metal market	38
FINDER™	40
X-TRACT™	42
COMBISENSE™	44
COMPLEENCE CHITE	46

Directing the future of business	.48
We are TOMRA, your trusted partner	50
Our test centers	52
TOMRA Insight	54
Our global service team	56
Our sales process	58



TOMRA Organization

At TOMRA, we see the value in each product and material and aim to keep them in continuous use. As an industry pioneer and with 50 years of experience in resource management, we are highly committed to leading the change and manufacturing a broad range of sensor-based solutions that recover valuable recyclables from mixed waste and metal streams. Given the increase in consumer awareness and legislation pushes, we make it our responsibility to respond to key market and consumer trends, which trigger fundamental yet vital changes

necessary for more sustainable handling of our finite resources. Joining impactful organizations, partnering with key players in the value chain, and continuing with our pioneering work, we passionately contribute our expertise and a new generation of technological advancement to further develop the recycling industry. Together we are well-positioned for upcoming megatrends and ready to continue leading the resource revolution. Our people, products and services make a profound impact. Together with you, we can change the future.

8,200 machines globally

50 years experience

Driving the change for more than 50 years

TOMRA Sorting Recycling Locations

Agents and distributors

Innovators in the recycling industry and with more than 50 years of experience in circular waste management, we develop and continuously optimize sensorbased sorting solutions to recover valuable materials from mixed waste and metals streams.

Over the last decades, the demand for our solutions has grown vastly from base markets to emerging markets. Almost 10,000 sorting units are expected to be installed

in sorting and recycling facilities in more than 100 countries worldwide. The machine's high-performing technologies enable to accurately recover metals, plastics, wood, and many more materials from waste streams. They are an instrumental force in the world's most advanced recycling plants, giving us a global market share of 60% and a leading position in the industry.

With 19% annual revenue growth from 2004 to 2019, we are in the

fortunate position to invest even more into pioneering technologies, enter new markets and shape new business models. Our growth continues with new recycling legislative targets, geographic expansion, and increased quality awareness. We proudly look back on a history that is marked by numerous game-changing innovations and are confident our expertise will continue to drive positive change in this dynamically evolving industry.


6

We accelerate the transition to a circular future

A circular economy is a sustainable model of production and consumption that uses, reuses, repairs, and recycles to ensure that materials stay within a closed loop with minimal environmental impact, and minimal waste. At TOMRA, we focus on the improvement and expansion of our waste management solutions to achieve that circularity.

Six steps to circular

A vital part of transitioning towards a circular economy is closing the loop on plastic waste. Here are six essential steps to improve circularity, including our Holistic Resource Systems, which incorporate the collection, sorting, and recycling of plastic waste.



In the circular economy:

- 1. Products are designed prioritizing reuse, repair, and durability, and created using less materials, of different varieties, including recycled content.
- 2. Products are released and sold to consumers in a variety of outlets, including retail stores, e-commerce sites, etc.
- 3. Once consumed, products can be reused or repurposed and made available for recycling

- 4. Used product materials are collected via deposit return systems, separate collections, or as mixed waste.
- 5. Collected materials are identified and sorted into clean fractions.
- 6. Sorted materials are purified and upgraded into new products of similar quality.

As a frontrunner in the circular revolution, we:

Explore and develop technologically advanced solutions

Holistic Resource Systems (HRS) integrate waste management techniques designed to respond to the challenges of managing resources and minimizing their impact on the planet. They are based on current policies and approaches on both national and regional levels that deal with existing products, materials, and waste flows. HRS is comprised of Deposit Return Systems (DRS), Separate Collections, and Mixed Waste Sorting (MWS).

In 2021, we saw what was possible when key players in the value chain come together to make a significant impact in the market by launching one of the most advanced mechanical recycling plants when it comes to post-consumer polymer waste. This plant, in Lahnstein, Germany, processes both rigid and flexible plastic waste from households, and unlike many current recycling plants, it produces the advanced solutions necessary for use in high-demanding plastic applications in various industries. With high purity, low odor, high product consistency, and light color fractions, these Borcycle™ M grade recycled polymers meet customer

eta

value chain.

This advanced mechanical recycling plant has also been home to important trials, such as the ones carried out, in partnership with Styrenics Circular Solutions (SCS), to demonstrate the full recyclability (HIPS), which is an integral part of

Co-create and share best practices and knowledge

EPR Unpacked: A Policy Framework for a Circular Economy

a Circular Economy, we explore the implementation, and much more. a multi-dimensional perspective achieve the best results.

Holistic Resource Systems

packaging is collected for recycling. resource is getting lost to landfill or incineration. That's why TOMRA, in partnership with Eunomia (an

based in the UK), developed recyclable material from our waste streams as possible. Our research found that together, three existing systems (Deposit Return Schemes, Separate Collections, and Mixed Waste Sorting) can help propel us

paper, we describe how each emissions and how each is

The Ultimate Guide to Mixed Waste Sorting

energy, or let its toxic components to reduce emissions, or curb the

focus on one of those systems, a plastic collection: Mixed Waste Sorting (MWS).

the waste sector faces in achieving the solutions that MWS offers.

TOMRA Talks Circular

TOMRA Talks Circular is a podcast that explores the challenges, solutions, and latest technology and innovations that could help close the loop on plastic waste. The topics we cover are as varied as the guests we talk to (industry experts, business owners, activists, and many others from around the world). We believe these conversations can help enlighten, engage, and motivate not just those in the waste management industry, but anyone who is interested in the move towards a circular economy.

Establish new and rewarding partnerships

At TOMRA, we have multiple partners throughout the value chain, with unique visions, motivations, and challenges, because we know that to drive circular innovation and solve big problems like climate change, waste, and pollution, we need to work together.

Podcast









Innovation was, is and will ever be at the center of sensor-based sorting technology. At TOMRA, we put our extensive experience, technological proficiency and passion for the environment into the development of our outstanding and advanced sorting solutions. At our production facilities in Mülheim-Kärlich (Germany) and Bratislava (Slovakia), we manufacture 750 machines and their core technology annually. Thanks to the strength and commitment of our expert team, our cutting-edge technology

is developed, produced and manufactured entirely in-house.

Both production and development of our cutting-edge technology are the result of a strong team that works on new solutions and with great commitment - every day.

Combining our extensive application and industry knowledge with in-house manufacturing, we provide first-hand sorting solutions. Every TOMRA unit meets the highest quality and safety standards possible, while also setting new industry benchmarks.

FLYING BEAM™

Our field-proven and highly efficient FLYING BEAM™ technology features an integrated light source positioned inside the scanner enables a homogenous light distribution across the conveyor belt, thus leading to an excellent performance and stable sorting. Particularly energy efficient, FLYING BEAM™ reduces the power consumption up to 70%. The innovative scanning point principle of FLYING BEAM™ allows simultaneous detection of materials across the entire belt feed. By continuously monitoring the illumination and sensor response, real-time information of the machine's operation status is always available.

LASER OBJECT DETECTION

For the recovery of black plastics, rubber, glass and other materials, TOMRA's Laser Object Detection (LOD) technology identifies what is undetectable by conventional NIR scanners and fills an unmet void and surpasses NIR limits for materials such as black plastics, rubber and glass. Through combining NIR and LOD sensors, it generates advanced sorting information that boosts sorting processes to new levels. Unlike standard technologies, LOD does not demand high energy draw and delivers high quality sorting results in a cost-effective and low energy consuming way for a variety of applications. LOD requires little investment to extend your

application range considerably, as it fits perfectly with AUTOSORT™ and FINDER™ units.

SHARP EYE

With a seamless and intense focus on the scanning area of the conveyer belt, SHARP EYE identifies critical chemical property differences and even the finest molecular differences in materials. Utilizing higher light density and point-scanning systems, SHARP EYE not only separates singlelayer PET trays from bottles, but also sorts mixed PET into different polymer types when combined with an AUTOSORT™ unit featuring FLYING BEAM™ technology. Even when processing mixed materials, sorting efficiencies exceeding 95% are attained.

GAIN

Our artificial intelligence-based technology GAIN is a future-forward option for AUTOSORT™ units. Based on neuronal networks, GAIN is in a position to independently learn from huge amounts of data how to conduct prescribed sorting tasks across multiple demanding applications. Proven to boost performance, GAIN improves sorting accuracy and adds significant value to the sorting process.

SUPPIXX[™]

SUPPIXX™ image processing technology allows for eight times higher resolution and eliminates noises caused by mechanical

13

and electrical influences. With even the finest particles being identified and separated with great precision, increased product yields and higher purity levels are easily achieved.

FLUID COOL™

This technology features an illumination unit to deliver a constant and stable light source for maximized quality and yield.

Coupled with a dual technology sensor system, FLUID COOL™ provides unsurpassed color detection and recovery of materials with high purity levels - even with very fine material grains.

DUAL PROCESSING TECHNOLOGY

TOMRA's Dual Processing

Technology unites the methods of Object and Area Processing for a more precise classification and sorting of materials. With Object Processing analyzing objects while considering its shape and dimension, it proves to be particularly beneficial for the identification of compounds. Area Processing on the other hand only processes pixels of the same material type and contiguous areas even at high throughput rates without single objects. The combination and simultaneous operation of these types of processing in TOMRA's Dual Processing Technology enables the machine to take a rule-based decision on which method to

use and to thus achieve constant sorting results even at high throughput rates and with complex compounds.

DEEP LAISER™

DEEP LAISER™ is the next generation technology available for AUTOSORT™ units applicable for 3D object detection and sorting tasks solved with artificial intelligence. Originating from the Laser Object Detection technology, DEEP LAISER™ is an integral part of the system and goes even one step ahead by detecting objects in a more precise way. In addition to its detection capabilities, its data supports sorting objects across various applications resulting in superior sorting precision.



Waste market

Global waste generated reached unsurpassed levels, which is mainly due to the way we manufacture and consume our valuable and limited resources. Thus, we are all part of the problem, but part of the solution too.

At TOMRA, we surely can't solve all the waste management problems, but we can contribute to it and make it our priority to devote our skills and experience to the development of frontrunning sensor-based sorting solutions by recovering precious materials from nearly any kind of waste streams, we are turning waste into value again.

20% of plastic packaging could be profitably re-used and 50% could be profitably recycled if designed for after use systems

By 2025 solid waste generation will increase by 70% compared to 2010 levels



New generation AUTOSORT™

FLYING BEAM™ • SHARPE EYE • DEEP LAISER™



The newest generation of AUTOSORT™ combines leading-edge features and technologies in one machine. Compact and flexible in construction, AUTOSORT™ allows for an uncomplicated integration into existing and new plants. Equipped with our proven FLYING BEAM™ technology, this next generation AUTOSORT™ enables intensified light information for heightened performance and operational efficiency.

Don't risk not being prepared for future market trends.

New generation FLYING BEAM™

Integrated Deep
Learning Technology

Extended resolution for fines sorting

1000	
Weight*	109kg
Length*	555mm
Width*	1,562mm
Height*	615mm

1400	
Weight*	113kg
Length*	555mm
Width*	1,576mm
Height*	615mm

2000	
Weight*	134kg
Length*	555mm
Width*	2,284mm
Height*	615mm

2800	
Weight*	225kg
Length*	555mm
Width*	3,006mn
Height*	615mm

Valves

TS100/TS200/TS400/TS1500

Nozzles

4mm/12.5mm/25mm/6.25mm

Main applications

Packaging

thermoplastics, beverage cartons, paper, board, glass

Municipal Solid Waste

thermoplastics, mixed paper, cardboard, metals

Thermoplastics

PET, PP, PVC, PS, LDPE, LLDPE, HDPE, trays, bottles, injection or blow molding qualities, PET-Bottles vs PET-Trays

Paper

cardboard, deinking, mixed paper

Commercial & Industrial Waste thermoplastics, paper, cardboard

Construction & Demolition Waste inert material, wood, thermoplastics, metals

Organic Waste

inert material, organic material, impurities

Refuse Derived Fuel

sort to get constant calorific value and low chlorine content

Bulky Waste

wood, paper, board, thermoplastics

Wood

wood, wood chips, wood from ASR

Electronic Scrap

WEEE thermoplastics

PE-Silicone Cartridges vs. HDPE





^{*} The data is indicative, application- & configuration-dependent. Exact data upon request.

AUTOSORT™ CYBOT

DEEP LAISER™ • FLYING BEAM™ • SHARP EYE • SUPPIXX™ (optional)



* The data is indicative and application-


Continuing our pioneering tradition, AUTOSORT™ *CYBOT* is the first waste sorting robot on the market to combine four essential technologies at once. Seamlessly interacting with AUTOSORT™ units and equipped with a robot arm, sensors detect objects based on their properties before the fast picking robot arm subsequentlysorts the objects into one of four separate target fractions. Its capability of identifying and sorting four distinct materials makes AUTOSORT™ CYBOT the ideal solution for achieving the highest sorting accuracy and purity levels.

Don't risk missing out on continuous output efficiency!

Multisensor system

Modular construction

New generation FLYING BEAM™



dependent. Exact data upon request.

Main applications

Robot for re-sorting of product streams previously sorted with **AUTOSORT**[™]

Packaging

thermoplastics, beverage cartons

Thermoplastics

PET, PP, PVC, PS, LDPE, HDPE, trays, bottles





AUTOSORT™ SPEEDAIR

FLYING BEAM™ • SHARPE EYE • DEEP LAISER™ (optional)



Light materials often don't lie still and are hard to detect when transported on high-speed conveyor belts. With the new AUTOSORT™ SPEEDAIR add-on for AUTOSORT™ machines, fan-driven air inlets generate a steady stream of air above the rapidly moving conveyor belt to stabilize light materials, making it easier to identify fractions. Reducing material movement on a fast-moving conveyor belt moving thus brings higher throughput rates and purity levels.

Don't risk losing valuable material on high-speed belts!

Closed air loop

High belt speed

Low risk of material blockage

1000

Width 1,800mm
Length Belt 5,000mm
Length 7,400mm
Weight* 190kg
Power Consumption 1.5kW**

2000

Width 2,800mm
Length Belt 5,000mm
Length 7,400mm
Weight* 270kg
Power Consumption 1.7kW**

1400

Width 1,800mm
Length Belt 5,000mm
Length 7,400mm
Weight* 215kg
Power Consumption 1.6kW**

2800

Width 3,600mm
Length Belt 5,000mm
Length 7,400mm
Weight* 300kg
Power Consumption 1.9kW**

Valves

TS100/TS200/TS400/TS1500

Nozzles

4mm/12.5mm/25mm/6.25mm


Main applications

Packaging/Film LDPE

Paper

cardboard, deinking, mixed paper





^{*} The data is indicative and applicationdependent. Exact data upon request.

AUTOSORT™ BLACK

MIR TECHNOLOG'



Previously undetectable by NIR sorting technology, black plastics can now be identified and sorted by the AUTOSORT™ *BLACK* plastic sorter. The machine is capable of differentiating between black plastics such as black PE, black PP, black PET and PS without pre-shredding. This unit not only fills a gap in waste sorting technology – it creates value. With its high throughput and enhanced resolution, AUTOSORT™ *BLACK* delivers a quick ROI for black plastics.

Don't risk losing out on the value of black plastics!

Inhouse development of core components

Sorting of grain sizes >20 x 20mm

Optimized heatsink system

1200	
Width	2,400mm
Length	2,300mm
Height	2,145mm
Weight*	2,810kg


1800	
Width	3,200mm
Length	2,300mm
Height	2,145mm
Weight*	3,272kg

Valves Nozzles TS400 6.25mm

Main applications

Electronic ScrapPS / ABS, PC ABS, PC, PVC, PP, PE





^{*} The data is indicative and applicationdependent. Exact data upon request.

AUTOSORT™ FINES

FLYING BEAM™



Applying features of the AUTOSORT™ family, the AUTOSORT™ *FINES* sorts small (polymer) fractions across multiple applications and generates high purity levels based on the unchallenged FLYING BEAM™ technology and high-speed valves. The machine has no external lamps, which results in high dust protection, lower maintenance and less downtime.

Don't risk missing the opportunity to recover even the smallest fractions.

Multiflexible system

FLYING BEAM™ technology

Precise ejection system

1200

Width 2,000mm
Length Belt 4,000mm
Length 6,420mm
Weight* 3,990kg
Power Consumption* 4.3kW

1800

Width 2,600mm
Length Belt 4,000mm
Length 6,420mm
Weight* 4,815kg
Power Consumption* 6.1kW

2400

Width 3,200mm
Length Belt 4,000mm
Length 6,420mm
Weight* 6,370kg
Power Consumption* 7.5kW

Valves NozzlesTS200 6.25 (1:1)
TS400 6.25 (1:1)

Main applications

Electronic ScrapPS, ABS, PC ABS, PPO, PPE, PC,
PBT, PMMA, PP, PE





^{*} The data is indicative and applicationdependent. Exact data upon request.

AUTOSORT™ *RDF*

FLYING BEAM™



Contributing to an optimized quality management, the AUTOSORT™ *RDF* online analysis tool detects and analyzes fuel material with regards to the calorific value, water and chlorine content. AUTOSORT™ *RDF* helps overcome the challenge of assuring quality and provides accurate and timely measurements of critical values during running times.

Don't risk incinerator downtime caused by varying quality in refuse-derived fuel!

FLYING BEAM™ technology

Inhouse development of core components

Constant online monitoring

600

Width 1,400mm
Length Belt 5,000mm
Weight* 135kg
Power Consumption* 1.3kW

1000

Width 1,800mm
Length Belt 5,000mm
Weight* 170kg
Power Consumption* 1.5kW

1400

Width 2,200mm
Length Belt 5,000mm
Weight* 200kg
Power Consumption* 1.6kW

Main applications

Online Analysis
RDF (analyzing calorific value, chlorine and water content)





^{*} The data is indicative and applicationdependent. Exact data upon request.

Upgrading plastics with the most advanced flake sorters

TOMRA delivers the most advanced flake sorting solutions for consistent and exceptional sorting performance, maximizing purity levels and profits. Designed to sort even the smallest PET, PO and PVC flakes, AUTOSORT™ *FLAKE* and INNOSORT™ *FLAKE* are the ideal solution for upgrading plastics such as PET and PO applications.

Per year, TOMRA's flake sorters process an amount of flakes that can fill up **5.6 Empire** State Buildings.

Per month, TOMRA's flake sorters process an amount of flakes that can fill up more than **194 olympic-size swimming pools**.



AUTOSORT™ FLAKE



AUTOSORT™ *FLAKE* is a high-performance and most versatile flake sorter and offers a unique technology combination consisting of our highest resolution FLYING BEAM™ sensor, a full-color camera, and a highly sensitive metal sensor. The combination of these outstanding technologies enables a fast and simultaneous multi-sensor evaluation of the input material and the precise removal of contaminants such as paper, wood, metal, and all foreign polymers. Thanks to the machine's outstanding features it fulfills the market requirements in a variety of applications, in addition to guaranteeing high and stable throughputs. AUTOSORT™ *FLAKE* is the ideal solution for high-end applications where quality demands are extremely high.

Don't risk valuable material loss by not relying on the highest resolution available for flake sorting. Single-point detection

Active temperature control

Extended resolution

1200

Width 1,900mm
Length 2,000mm
Height 2,300mm
Weight* 1,850kg
Power Consumption 10kW

Valves Nozzles TS100B 4mm

Main applications

PET Flakes

purifying PET flakes

PO Flakes

purifying PE/PP flakes

PVC Flakes

purifying PVC





^{*} The data is indicative and applicationdependent. Exact data upon request.

INNOSORT™ *FLAKE*

FLYING REAM



Designed as the ideal sorting solution for upgrading plastics, INNOSORT™ *FLAKE* combines color and material sorting to recover PO, PET, PVC flakes and many others out of the most contaminated waste streams. Thanks to the high-resolution FLYING BEAM™ technology and a width of up to 2m, it removes unwanted contaminants and detects polymers as small as 2mm. With capacities of up to 6 tons/hour, high performing full-color cameras, and NIR sensors, INNOSORT™ *FLAKE* significantly reduces material losses and increases yield.

Don't risk investing in complex equipment when our all-in-one solution sorts PO, PET, and PVC flakes by both material and color. All-in-one solution

Next level quality

Low initial investment

1000	
Width	1,751mm
Length	1,831mm
Height	2,144mn
Weight*	980kg
Power* (3-phase)	5 0 k\/A

1	ļ	5	0	(
١	Α	<i>ı</i> :	٦	4

Width	2,279mn
Length	1,831mm
Height	2,144mm
Weight*	1,100kg
Power* (3-phase)	7.9 kVA

2000

Width	2,843mm
Length	1,831mm
Height	2,144mm
Weight*	1,300kg
Power* (3-phase)	9.4 kVA

Valves Nozzles TS120 4.75mm

Main applications

PET Flakes / PO Flakes / PVC
Flakes and others
purifying PET flakes
purifying transparent and
opaque flakes
sorting of mixed color flakes





^{*} The data is indicative and applicationdependent. Exact data upon request.

From waste wood to resource

X-TRACT[™] and AUTOSORT[™] with GAIN bring wood full circle

Recycling wood at the highest possible qualities requires innovative systems that allow for the creation of pure mono fractions applicable for the production of wood-based panelboards.

As an industry pioneer with more than a decade of experience in wood waste sorting, we offer a

comprehensive wood sorting solution consisting of X-TRACT™ and AUTOSORT™ with its add-on unit GAIN. Intelligent technology and data-driven software support panelboard manufacturers and recyclers in maximizing yield and purities in wood recycling.



Step 1: X-TRACT™ Purifying waste wood

Harnessing the power of x-ray transmission (XRT) technology, X-TRACT™ measures the atomic density of materials to detect waste wood and remove impurities like inert materials, metals, and glass.

With a capacity of up to 30 metric tons per hour depending on the material stream, X-TRACT™ delivers exceptional results in waste wood sorting



Step 2: AUTOSORT™ and GAIN Intelligent separation of wood by type

As a complementary solution to AUTOSORT™, GAIN deep learning technology utilizes neural networks to differentiate wood chips based on material type. The sorting system effectively separates Wood

A from Wood B and recovers MDF from processed wood. It is the ideal solution for creating non-processed wood fractions with up to 95% purity levels.



Metal market

Challenges many recyclers face include increasing recycled metal quality standards and providing pure mono-fractions. A global metal production of three-digit ton rates provides the capability to apply the right technology to recycled material and meet these standards.

For us, the metal recycling's principle of saving virgin material and generating high-purity materials is central to the development of our metal application machines and technologies. Our metal sorting machines offer a way to recycle material to higher purity rates. In turn, less precious virgin materials are consumed, less costs expended and the environment is protected - a win-win situation for all.

Recycling aluminum saves 95% of energy compared to primary production

75% of aluminum produced is currently still being used



FINDER™

SUPPIXX™ • Z-TECT • INTELLIGENT OBJECT RECOGNITION



FINDER™ dominates in sorting high purity fractions regardless of the materials complexity or grain size. Utilizing patented technologies, FINDER™ detects metal objects with ultra-precision, resulting in exceptionally high yields and purity levels. Ultra-flexible thanks to its modular design, the machine is applied for various mixed waste streams and metal applications.

Don't risk investing in a static system when FINDER™ offers enough flexibility and high performances across diverse metal applications.

Multiflexible sensor system

Software based object processing

Modular design

1200	
Width	2,000mn
Width Belt	1,200mm
Length Belt	4,000mn
Length	6,420mm
Height	2,120mm
Woight*	3 800ka

Power Consumption 5kW

1800

Width	2,600mm
Width Belt	1,800mm
Length Belt	4,000mr
Length	6,420mn
Height	2,120mm
Weight*	4,600kg
Power Consumption	5.5kW

2400

Width	3,200mm
Width Belt	2,400mm
Length Belt	4,000mm
Length	6,420mm
Height	2,120mm
Weight*	4,600kg
Power Consumption	7.5kW

 Valves
 Nozzles

 TS400
 6.25 (1:1)

 TS1500
 6.25 (1:2)

Main applications

ASR

metal recovery (from stainless steel, insulated copper wire)

Electronic Scrap

PCB, wire, aluminum

Wood

wood chips

Ash Recycling

recovery of ferrous- & non-ferrous metals





^{*} The data is indicative and applicationdependent. Exact data upon request.

New X-TRACT™

DUAL PROCESSING • DUOLINE™ • MULTI-DENSITY CHANNELS



With a long-standing legacy in exceptional performance, the new X-TRACT™ sets the stage for accelerating the production of secondary aluminum. By combining breakthrough innovations and software-driven intelligence, the sorting system gives you the ultimate control in separating aluminum from super lights and heavy metals. Increased capacity per meter width and belt speeds up to 3.8 m/s ensure high-throughput sorting of complex materials, including adjacent and overlapping objects. Through simultaneous object and area processing, its automated decision-making capability gives you the flexibility to choose between high purity and/ or high recovery sorting.

Don't risk losing out on the recovery of valuable metals when advanced technology can help.

DUAL PROCESSING technology

Inhouse development of core components

Zorba Fines processing

1200

Width 2,000mm
Width Belt 1,200mm
Length Belt 4,000mm
Length 6,420mm
Height 2,120mm
Weight* 7,400kg
Power Consumption 9kW

Valves Nozzles TS1500 6.25 (1:2)

Main applications

Aluminum

detects heavy metals, alloys, copper wires, PCBs and removes magnesium

E-Scrap

detects PCBs, flame retardants

Previous model

Organics Wood Inert material





The data is indicative and applicationdependent. Exact data upon request.
 Only available for High Power Pack.

COMBISENSE™

FLUID COOL™ • DUAL PROCESSING



Offering unsurpassed color detection and multi-parameter fraction separation, COMBISENSE™ eliminates most contaminants from even the most challenging ELV, e-scrap and metal waste streams. By allowing granulates to pass through the sorting system twice, high purity levels and a maximum of mono fractions recovery are achieved.

Don't risk investing in multiple machines for extracting vast amounts of valuable metals when COMBISENSE™ can separate numerous fractions in subsequent steps.

Active temperature control

Stable color range

Optimized operational costs

1200

Width 2,480mm
Width Belt 1,200mm
Length Belt 3,960mm
Length 5,650mm
Height 1,830mm
Weight* 3,770kg
Power Consumption 10kW

Valves Nozzle Pitches TS1500 8 mm

Main applications

End-of-life Vehicle Scrap

unalloyed steel, plastics, glass, compound materials

Electronic Scrap

PCB, wire, grey metals, copper, brass


Non-ferrous Metals

grey metals, copper, brass

Zorba

grey metals, copper, brass





^{*} The data is indicative and applicationdependent. Exact data upon request.

COMBISENSE™ CHUTE

FLUID COOL™ • DUAL PROCESSING



Offering unsurpassed color detection and multi-parameter fraction separation, COMBISENSE™ eliminates most contaminants from even the most challenging ELV, e-scrap and metal waste streams. By allowing granulates to pass through the sorting system twice, high purity levels and a maximum of mono fractions recovery are achieved.

Don't risk investing in multiple machines for extracting vast amounts of valuable metals when COMBISENSE™ can separate numerous fractions in subsequent steps.

Active temperature control

Stable color range

Optimized operational costs

1200

Width 2,480mm
Width Belt 1,200mm
Length Belt 3,960mm
Length 5,650mm
Height 1,830mm
Weight* 3,770kg
Power Consumption 10kW

Valves Nozzle Pitches TS1500 8 mm


Main applications

Granulated Copper Material fines metal fractions

Mixed Metal Sorting copper, brass, grey metals

Red Metal Sorting copper, brass





^{*} The data is indicative and applicationdependent. Exact data upon request.



Over 20% of all employees work in in-house R&D

Directing the future of business

Change and development is the key to achieving and maintaining a leading position in the market. Only when thinking ahead of a fast pacing market and fulfilling new market requirements in a prompt way and with the right solutions, the recycling industry can be advanced and brought to the next level. Our R&D department remarkably shapes our business. We create innovations that offer solutions for current unresolved tasks by conducting profound research,

based on which technologies are developed or optimized. All our products are the reflection of dedicated work and help us achieve future growth, reinforcing our competitiveness and positioning as an industry pioneer.

Developing solutions in-house helps you benefit from direct reaction, faster integration of new techniques and bundled expertise – expertise exclusively developed by and at TOMRA.





We are TOMRA, your trusted partner

We are more than a supplier. We are your trusted, reliable partner offering high competence and full service at any place and any time.

Trust in...

...our experience

More than 50 years of experience has helped us gather the necessary knowledge to successfully contribute to the furtherance of the recycling industry through state-of-the-art technology.

... our success

Being responsible for the development of the world's first high capacity near infrared (NIR) sensor for waste sorting applications, we are claimed to be an industry pioneer with a

dedication to extracting high purity fractions from almost any kind of waste streams.

...our values

All our actions are a reflection of our company values:

We commit ourselves to care for the environment, to be transparent and open in communication – we act responsibly. We dare to explore and to find new solutions to find solutions to current and future challenges – we are innovative. We believe in what we do, we engage and inspire to participate in making a change – we are passionate.



Innovation



Passion



Responsibility

Test before you invest – our test centers

Finding customized solutions across various applications suitable for any sorting plant is critical. In our seven global test centers, our experienced application engineers are at hand to conduct comprehensive tests with your material before you invest in our sorting technologies. From throughput capacity to application feasibility and purity rates, you'll evidential data based on which we define the most efficient sorting solution for your specific needs. Your benefits are at hand: testing before investing reduces risks and validates your process to make

your operation perform at its best.
One partner. Numerous testing
possibilities.

As diverse as your sorting requirements and applications, TOMRA test centers are uniquely qualified to deliver the right solution. From general material testing at facilities around the world to dedicated plastic flake sorting in our newest facility in Italy, we provide the respective framework to help you find your optimal sorting solution.

TOMRA Test Centers:

Germany, China, South Korea, Italy

Partner Test Centers: US, Japan

Your benefits

Test your own material

Detailed test reports

Development of individual

process design





Connect to POSSIBILITIES

Your benefits at a glance:

Data-based process optimization

Customizable reports


Improved maintenance processes

Specialist support with our experts

Connect to maximum performance

The digital era of waste and metal sorting begins with connected sorting units and data optimization. Connecting your machines with TOMRA Insight, our cloud-based data platform enables you to keep a close eye on the performance of your sorting lines, anywhere, anytime.

TOMRA Insight gathers valuable sorting data and translates it into actionable information. Detailed reports about your sorting line's performance are always available, making it easier to resolve potential issues and identify future maintenance requirements.




We care-TOMRA Service

Delivering world-class sorting solutions is only part of our commitment to you. Keeping your plant performing at its best and maximizing yield is another important pillar to give you a distinct competitive edge. Thanks to TOMRA Care, our extensive service portfolio, we provide you with the necessary toolkit to bring

your plant to peak performance, reduce your operation's carbon footprint and downtimes. From training and technical support to self-learning software, spare part kits, first-class support, financing to installation, and beyond, our full-service package is at your fingertips.



Customer goals



TOMRA's core service



Our sales process

We turn challenge into opportunity, mixed waste streams to pure end materials, waste into value – together with and for you!

As your trusted partner, we not only help you meet short-term objectives but also deliver long-term success and reliably accompany you throughout the sales process, from planning to implementation to ongoing optimization.

Consultation

With our profound and established experiences accumulated from more than 6,000 machine installation in more than 100 countries, we provide expert advice and find the best applicable solution for your plant.

Material tests

If required, we offer trials of your sample material in our test facilities. We create a flow sheet featuring

the optimal sorting process for your field of application and sorting task.

Evaluation

We provide an investment analysis to help identify maximum benefits or potential issues integrating sorting machines can have on your operations.

Customized package

We offer full-service solutions consisting of machinery, delivery, spare parts and first-class aftersales service.

Commissioning

A team of field service, optimizer, customer project manager, and sales engineers participate in commissioning process and sets up your machine(s). Subsequent in-depth training familiarizes you with maintenance and operating process.

After-sales service

With a presence in 16 service hubs around the globe or assisting remotely, you benefit from comprehensive after-sales support with a rapid response time.

58